

# intimus Confidential High Security at the Desk

**Professional Data Shredders – a Synthesis of Technology, Performance and Design. All intimus® shredders are built from durable, precision engineered, high-performance components, designed for a long life of high volume usage. The product range covers all requirements from day-to-day office use up to High Security Shredding machines in use for destruction of classified material in line with all current legal requirements such as DIN 66399 or NSA 02/01. intimus® shredders carry various features which make them unique in user-friendliness and operating efficiency.**

- Easy and comfortable operation for Forward and Reverse
- LED control display
- Push button for power safety
- Electronic “bin full” indicator
- Removable catchbasket
- Mounted on rollers for flexible use



W/D/H 35 x 27 x 57 cm

|     |      |
|-----|------|
| 230 | < 55 |
| 230 | 10   |



| Model        | Shred size |    | P   | F | O | T | H  | E | Shredding capacity* sheets |                     | Cutting speed<br>m/s | Throughput** sheets/min |                     | Also shreds: |
|--------------|------------|----|-----|---|---|---|----|---|----------------------------|---------------------|----------------------|-------------------------|---------------------|--------------|
|              | mm         |    |     |   |   |   |    |   | 70 g/m <sup>2</sup>        | 80 g/m <sup>2</sup> |                      | 70 g/m <sup>2</sup>     | 80 g/m <sup>2</sup> |              |
| Confidential | 2 x 8      | 15 | 1-2 | 5 | 2 | 1 | 2" | - | 8                          | 8                   | 0.05                 | 81                      | 81                  |              |

\* only floppy disks / ID cards

| Shredder oil     | Packing unit | Art. No. |
|------------------|--------------|----------|
| Bottle at 110 ml | 6 bottles    | 88035    |

\* based on 70 g/m<sup>2</sup> A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient power supply. It may be lower if the voltage is below the rated/nominal value.  
 \*\* theoretical average performance paper/min